# Safety Data Sheet (SDS)

| Created on | 2018/2/20 |
|------------|-----------|
| Revised on |           |

## 1 Chemical Product Company Information

Name of the product Art Resin Clear ORANGE

Manufacture's name ERUBERU CO.,LTD

Address 2-1-20 Ekimae Ibaraki Osaka Japan

JAPAN

TEL +81-072-620-0638 TEL(Emergency contact) +81-072-620-0638 FAX(Emergency contact) +81-072-620-0616

#### 2 Summary of hazardousness

The following GHS Category doesn't show any material that cannot be classified, that is out of

scope of classification and is out of classification.

| assilication.        |  |  |   |
|----------------------|--|--|---|
| Category             | Dangerousness<br>Information   | and  | Hazard  |
| Cannot be classified |  |  | _   |
| Cannot be classified |  |  |   |
| Category 1           |  |  |   |
| Cannot be classified |  |  |   |
| Cannot be classified |  |  |   |
|                      | Cannot be classified | Cannot be classified | Category Dangerousness and Information  Cannot be classified Cannot be classified  Cannot be classified  Cannot be classified  Cannot be classified  Cannot be classified  Cannot be classified  Cannot be classified  Cannot be classified  Cannot be classified  Cannot be classified  Cannot be classified  Cannot be classified |

Pictures or symbols



Warning statements

Dangei

Cautions [Safety Cautions]

Obtain an MSDS of this product using it.

Handle this product after reading cautions through and understanding it.

Wear personal protective equipment where necessary.

Avoid inhalation of mist.

Use this product outdoor or at well-ventilated place.

Avoid releasing of this product to the environment.

[Emergency Measures]

Eye contact: Wash eyes with water carefully for several minutes. Take contact lenses off if possible and continue washing.

Inhalation: Move the patient under the fresh air take him/her a rest in a posture easy to breathe.

[Storage]

Seal the vessel and place it at a well-ventilated place,

[Disposal]

Hand the waste product and its vessel over to an industrial waste disposal service provider licensed by governor prefecture.

## 3 Composition and Information Ingredient

| Single/Mixture  | Mixture  |                        |                           |  |
|---|--|------------------------|---------------------------|--|
| Chemical name   | CAS No   | Official Gazette       | Content %                 |  |
|   |  | Serial No              |                           |  |
| acrylate oligomer   | _  | _                      | $20{\sim}40\%$            |  |
| Thickening agent1   | 7631-86-9  | (1)-548                | $1\sim 10\%$              |  |
| Thickening agent 2  | _  | _                      | $0.1 \sim 1\%$            |  |
| Phenoxydiethyleneglycol   | 61630-25-9   | 3-3684 · 10-344        | $0.1 \sim 10\%$           |  |
| acrylate  |  |                        |                           |  |
| Tri cyclodecane dimethanol  | 42594-17-2   | 4-1548                 | $25{\sim}50\%$            |  |
| Acrylate  |  |                        |                           |  |
| dimethyl sulfoxide  | 67-68-5  | (2)-1553               | $0.1 \sim 10\%$           |  |
| addition-agent  | _  | _                      | $0.1 \sim 10\%$           |  |
| (including initiating reagent)  | )  |                        |                           |  |
| 1   |  |                        |                           |  |
| addition-agent  | _  | _                      | $0.1 \sim 10\%$           |  |
| (including initiating   | g  |                        |                           |  |
| reagent)2   |  |                        |                           |  |
| addition-agent  | _  | _                      | $0.1 \sim 10\%$           |  |
| (including initiating   | g  |                        |                           |  |
| reagent)3   | ,  |                        |                           |  |
| others1 (including pigment)   | _  | _                      | ≤0.1%                     |  |
| others ( (including sign ent)   |  |                        | ·                         |  |
| others 2 (including pigment)  | _  | _                      | ≤0.1%                     |  |
| Inhalation Let the patient rest under fresh air. Get medical attention if any |  |                        |                           |  |
|   | mality is observe  |                        |                           |  |
| Skin Contact Wash   | Skin Contact Wash this product away thoroughly with soap or skin washing agent |                        |                           |  |
| Get i   | nedical attention  | on if any abnormality  | y, such as dermatitis, is |  |
| obser   | ved.   |                        |                           |  |
| Eye Contact Flush   | eyes immediate   | ely with plenty of pur | e water for more than 15  |  |
|   |  | _                      |                           |  |

minutes.

Wash the back side of eye lids thoroughly as well. Get medical

attention if any abnormality is observed.

Ingestion Wash the mouth thoroughly, let the patient rest and immediately get

medical attention. Never try to let him/her vomit if he/she isn't

conscious.

Protection for Wear protective gloves, protective goggles and other personal First-Aid Providers

protective equipment not to get this product on clothes and/or hands.

Fire-Fighting Measures

Extinguishing media

Form, powder and carbon dioxide fire extinguishing agents and Water.

Prohibited media

Particular

A fire to this product could generate gas of irritating, toxic or corrosive

hazardousness Fire-fighting method nature. Heating could cause the vessel blown up. Wear appropriate personal protective equipment.

Remove flammable from fire. Move the vessel from the fire or cool it

down with water.

Extinguish fire from the windward side.

For extinguishing an early-stage fire, use powder and/or carbon dioxide

fire extinguishers and/or dry sand.

For a massive fire, it is effective to shut air out using a foam

extinguishing agent.

Protection for firefighters

Use appropriate respirator and wear chemical-resistant protective

garment to fight against fire.

Accidental Release Measures

Personal precautions The source of release and its appropriate radius for the entire direction

must be isolated. Keep the area out.

Wear appropriate personal protective equipment.

Get well ventilation if it is a closed area.

Environmental Avoid discharge of the released product into rivers to cause

precautions environmental impacts.

Collection and Absorb the product to dry sands and soils, etc., and put them in a

neutralization sealable vessel.

Wipe off residual product with waste clothes, etc. and dispose them of

as industrial wastes.

Prevention of

Remove all fire sources and hot object as well as combustible swiftly. secondary hazards

Get a powder fire extinguisher ready to put a fire, if any.

7 Handling and storage

Handling

Technical Measures Take measures as indicated in 8'. Expusure Controls/Personal

Protection.

Local and General Get local/general ventilations as indicated in 8. Exposure

Exhaust Ventilations Controls/Personal Protection.

Precautions for Safe Avoid inhalation mist and dusts of this product.

Handling Wash hands and face thoroughly and gargle after using this product.

#### Art Resin ORANGE

Wear protective gloves, protective garment, protective goggles, and

protective mask.

Avoid inhalation of smoke, gas, vapor and mist.

Don't allow a person who has once suffered from allergy in the past

using this product.

Avoid releasing of this product to the environment.

Avoidance of Contact See '10. Stability and reactivity.

Storage

Specific Materials to

Avoid contact with water, strong Oxidizers, strong acids and strong

alkalis.

Technical Measures Seal vessel tightly and store it in a well-ventilated place.

8 Exposure Controls/Personal protection

Controlled Not set

concentration

be Avoided

Allowable Not set

concentration

Facility Measures Handle this product at a place where sealed devices, machines and/or

local exhaustion system are installed.

Install eye and body washers and/or hot object near the places where

this product is handled.

Ground transportation vehicle, taking and agitating systems.

Protective equipment

Respiratory

Wear a gas mask(for organic gasses)

protection

Hand protection Wear oil-resistant (non-permeable) gloves.

Eve protection Wear protective goggles.

Skin and body Wear long boots, an apron and a protective garment.

protection

Hygiene measures Wash hands and face thoroughly and gaggle after using this product.

Don't take working contaminated with this product before reusing

them.

9 Physical and Chemical Properties

Appearance yellow, viscous liquid
Oder Slight special smell.
PH Not data available
Boiling point , Not data available

Freezing point

Initial boiling point Not data available

and boiling range

Flash point 140°C

Explosion range Not data available Vapor pressure Not data available Vapor density Not data available

Specific gravity 1.1

Solubility Soluble to aromatic group, alcoholic and ketone solvent

## Stability and Reactivity

Stability This product doesn't make dangerous reaction around the normal

temperature if left alone.

Reactivity This product reacts with epoxy resin hardeners. (amines and acid

anhydrides, etc.) This product makes a vigorous reaction with excessive

hardeners and generates heat.

Conditions to be

Avoided

Excessive heating.

Materials to be

Avoid contact with strong oxidizers, strong acids and strong alkalis.

avoided

Hazardous decomposition CO and NOx

#### **Toxicological Information**

| Acute toxicity                         |  |
|--|--|
| Chemical name                          | Fatal dose   |
| 2-Phenoxyethyl Acrylate                | LD50 (rat) 5190 mg/kg (oral)                       |
|  | LD50 (rat) 1800 mg/kg (Skin)                       |
| Silica dioxide                         | LD50 (rat) 3160 mg/kg(oral)                        |
|  | LD50 (rat) 2190 mg/kg(Skin)                        |
| Dimethyl sulfoxide                     | LD50 (rat) 14500mg/kg(oral))                       |
|  | LD50 (rat) 40000 mg/kg(Skin)                       |
| Tri cyclodecane dimethanol             | Not data available                                 |
| Acrylate                               |  |
| Carbon black                           | LD <sub>50</sub> (rat) 8000mg/kg under(oral))      |
|  | LD50 (rat) Not data available (Skin)               |
| Skin corrosiveness/irritation          | Not data available                                 |
| Serious eye danger/eye                 | Not data available                                 |
| Irritation                             |  |
| Respiratory organ sensitization        | Not data available                                 |
| Skin sensitization                     | (Local lymph node assay ; LLNA): positive reaction |
| Mutagenicity                           | Not data available                                 |
| Carcinogenicity                        | Not data available                                 |
| Reproductive toxicity                  | Not data available.                                |
| Specification target internal          | Not data available                                 |
| organs/whole toxicity(Single           |  |
| dose)                                  |  |
| Specification target internal          | Not data available                                 |
| organs/whole                           |  |
| toxicity(Repeated dose)                |  |
| Absorption recapinatory ergans         | Not data available                                 |
| Absorption respiratory organs toxicity | not data available                                 |
| UUXICIUY                               |  |

#### 12. Ecological information

Ecological Toxicity Handle this product with care as disposal and release of this

product could cause impacts on the

environment. A void direct release of this product on the ground,

in rivers and ditches.

Aquatic environmental

toxicity(acute)

Not data available

Aquatic environmental

toxicity(chronic)

Not data available

Persistence and decomposition

Not data available

Bio magnification Not data available

#### 13 Disposal considerations

Residual wastes Follow the instructions of Specially Controlled Industrial Waste

Disposal Criteria.

Follow the general cautions on handling hazardous liquid in

addition to items listed in Handling and Storage.

Dispose this product by handling it over to a qualified industrial

waste disposal service provider.

IN doing so, provide the provider with hazardousness and toxicity

information on this product.

IN disposing this product, check the safety thoroughly before mixing this product with other substances, as doing so could cause a

chemical reaction and/or a fire.

Pollution container and

packing

Vessels of this product should be recycle after washing them or be disposed in accordance with applicable laws and regulations and

standard set by the local government.

Remove the contains in the vessels totally be gore disposing

them

#### 14 Transport information

Confirm that this product doesn't leak out of its vessels and load vessels in a way not fall down, topple over and get damaged. Avoid collapsing of cargoes.

Land transportation Follow the stipulation in the Fire Defense Law and industrial

Safety and Health Act.

Marine transportation Follow the stipulation in the Ship Safety Act.

Aviation transportation Follow the stipulation in the Civil Aeronautics Act.

Regulation on transport and storage of dangerous

ort UN Code:not applicable

materials

Emergency response number

Not applicable

Marine pollution Not applicable
Prevention Law Not applicable

## Art Resin ORANGE

### 15 Regulation Information

Fire defense law Non-dangerous substances

Industrial safety and Not applicable

health act Article 57-2 (Deliver of Document, etc.)

: Carbon black, Silica dioxide

Poisonous and Not applicable

deleterious substances

control act

Water pollution Not applicable

prevention act

PRTR Not applicable

Others

### 16 Other Information

References Existing MSDS

Recommendations by Japan Society of Occupational Health(2007) 'Emergency Response Guideline' by Japan Chemical Industry Association.

The data shown above are based on the information, documents and data that were available at the time this sheet was formed, but this sheet shouldn't be construed as providing any type of warranty and

guarantee on this product. Handle this product with care.