

NAN YA Ident No.: EL128 Revision : 2004-11-01

1. IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

Trade name:

NPEL-128

Company identification:

NAN YA Plastics Corporation

201, Tung Hwa North Road, Taipei, Taiwan, R.O.C.

Telephone: 886-2-27178257~8

Telefax: 886-2-27182258

Emergency telephone: 886-2-26806311 EXT724

2. COMPOSITION / INFORMATION OF INGREDIENTS

Ingredients : Bisphenol-A epoxy resin(number average molecular weight < 700)

CAS-No. : 25068-38-6

Hazard symbols : Xi

R-phrases : R36/38-R43 Concentration : >99.9%

3. HAZARDS IDENTIFICATION OF THE PRODUCT

Irritating to eyes and skin, may cause sensitization by skin contact.

4. FIRST AID MEASURES

After skin contact:

Rinse with plenty of water and soap. Remove contaminated clothes.

After eye contact:

Rinse immediately with plenty of water for at least 15 minutes, and seek medical advice.

After inhalation:

Move to fresh air. Seek medical advice if symptoms persist.

After ingestion:

Do not vomiting; instantly seek medical advice.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Foam, dry powder, carbon dioxide, water spray jet.

Unsuitable extinguishing media:



NAN YA Ident No.: EL128 Revision : 2004-11-01

High pressure water jet.

Special protective equipment for firefighters:

Wear self-contained breathing apparatus.

Wear protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Keep away ignition sources.

Wear suitable protective equipment.

Environmental precautions

Do not allow to enter drainage system, surface or ground water.

Method for cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

7. HANDLING AND STORAGE

Handing:

Ensure good ventilation/suction at the workplace.

Avoid open flames and sources of ignition.

Storage:

Keep away from food and drink.

Keep container tightly sealed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering controls:

Ensure for good ventilation/suction.

Control parameters:

None

Personal protection equipment

Respiratory protection: suitable breathing mask when there is inadequate

ventilation.

Hand protection: suitable protective gloves.

Eye protection: protective goggles.

Skin and body protection: suitable protective clothes.

9. PHYSICAL AND CHEMICAL PROPERTIES



NAN YA Ident No.: EL128 Revision: 2004-11-01

Physical state : liquid

Color : yellowish

Boiling point : >150°C

Flash point : >150°C

Density : $(20^{\circ}\text{C}) 1.16\text{g/cm}^{3}$

Solubility : (20°C) practically insoluble in water.

Viscosity : (25°C) 12000~15000cps

10. STABILITY AND REACTIVITY

Conditions to avoid:

Avoid static electricity discharge.

Material to avoid:

Strong acid, strong base, strong oxidizer and amines.

Hazardous decomposition products

In fire toxic fumes may be generated.

11. TOXICOLOGICAL INFORMATION

Ingestion:

Acute oral toxicity: LD₅₀ 10000~11400 mg/kg body weight.

Skin contact:

Irritating to skin.

Eye contact:

Irritating to eyes.

12. ECOLOGICAL INFORMATION

Biological degradability:

Not readily biodegradable.

Bioaccumulation:

No information available.

Ecotoxicity:

Toxic to aquatic organisms.(LC₅₀ between 1 and 10 mg/L)

13. DISPOSAL CONSIDERATIONS

Dispose of according to regulations.



NAN YA Ident No.: EL128 Revision : 2004-11-01

14. TRANSPORT INFORMATION

Transport over land ADR/RID

NOT REGULATED FOR TRANSPORT

Transport over sea IMDG

NOT REGULATED FOR TRANSPORT

Transport by air ICAO/IATA

NOT REGULATED FOR TRANSPORT

15. REGULATORY INFORMATIONS

Hazard labels : Xi Irritant

R-phrases : R36/38 Irritating to eyes and skin.

R43 May cause sensitization by skin contact

S-phrases : S26 In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice.

S28 After contact with skin, wash immediately with plenty of

water and soap.

S37/39 wear suitable gloves and eye/face protection.

16. OTHER INFORMATION

This information is based on our current level of knowledge and relates to the products in the states in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.